萬茅
Montage

SALES BROCHURE 售樓説明書

一手住宅物業買家須知 Notes to purchasers of first-hand residential properties

此須知是由一手住宅物業銷售監管局為施行《一手住宅物業銷售條例》第19(1)條而發出的。

您在購置一手住宅物業之前，應留意下列事項：

適用於所有一手住宅物業

1. 重要資訊

- 瀏覽一手住宅物業銷售資訊網(下稱「銷售資訊網」)(網址：www.srpe.gov.hk)，參考「銷售資訊網」內有關一手住宅物業的市場資料。
- 閱覽賣方就該發展項目所指定的互聯網網站內的有關資訊，包括售樓說明書、價單、載有銷售安排的文件，及成交紀錄冊。
- 發展項目的售樓說明書，會在該項目的出售日期前最少七日向公眾發布，而有關價單和銷售安排，亦會在該項目的出售日期前最少三日公布。
- 在賣方就有關發展項目所指定的互聯網網站，以及「銷售資訊網」內，均載有有關物業成交資料的成交紀錄冊，以供查閱。

2. 費用、按揭貸款和樓價

- 計算置業總開支，包括律師費、按揭費用、保險費，以及印花稅。
- 向銀行查詢可否取得所需的按揭貸款，然後選擇合適的還款方式，並小心計算按揭貸款金額，以確保貸款額沒有超出本身的負擔能力。
- 查閱同類物業最近的成交價格，以作比較。
- 向賣方或地產代理瞭解，您須付予賣方或該發展項目的管理人的預計的管理費、管理費上期金額(如有)、特別基金金額(如有)、補還的水、電力及氣體按金(如有)，以及/或清理廢料的費用(如有)。

3. 價單、支付條款，以及其他財務優惠

- 賣方未必會把價單所涵蓋的住宅物業悉數推售，因此應留意有關的銷售安排，以了解賣方會推售的住宅物業為何。賣方會在有關住宅物業推售日期前最少三日公布銷售安排。
- 留意價單所載列的支付條款。倘買家可就購置有關住宅物業而連帶獲得價格折扣、贈品，或任何財務優惠或利益，上述資訊亦會在價單內列明。
- 如您擬選用由賣方指定的財務機構提供的各類按揭貸款計劃，在簽訂臨時買賣合約前，應先細閱有關價單內列出的按揭貸款計劃資料[1]。如就該些按揭貸款計劃的詳情有任何疑問，應在簽訂臨時買賣合約前，直接向有關財務機構查詢。

4. 物業的面積及四周環境

- 留意載於售樓說明書和價單內的物業面積資料，以及載於價單內的每平方呎/每平方米售價。根據《一手住宅物業銷售條例》(第621章)(下稱「條例」)，賣方只可以實用面積表達住宅物業的面積和每平方呎及平方米的售價。就住宅物業而言，實用面積指該住宅物業的樓面面積，包括在構成該物業的一部分的範圍內的以下每一項目的樓面面積：(i) 露台；(ii) 工作平台；以及 (iii) 陽台。實用面積並不包括空調機房、窗台、閣樓、平台、花園、停車位、天台、梯屋、前庭及庭院的每一項目的面積，即使該些項目構成該物業的一部分的範圍。
- 售樓說明書必須顯示發展項目中所有住宅物業的樓面平面圖。在售樓說明書所載有關發展項目中住宅物業的每一份樓面平面圖，均須述明每個住宅物業的外部和內部尺寸[2]。售樓說明書所提供有關住宅物業外部和內部的尺寸，不會把批盪和裝飾物料包括在內。買家收樓前如欲購置家具，應留意這點。
- 親臨發展項目的所在地實地視察，以了解有關物業的四周環境(包括交通和社區設施)；亦應查詢有否任何城市規劃方案和議決，會對有關的物業造成影響；參閱載於售樓說明書內的位置圖、鳥瞰照片、分區計劃大綱圖，以及橫截面圖。

5. 售樓說明書

- 確保所取得的售樓說明書屬最新版本。根據條例，提供予公眾的售樓說明書必須是在之前的三個月之內印製或檢視、或檢視及修改。
- 如屬未落成發展項目，賣方在認為有需要時可改動建築圖則(如有的話)，因此應留意由賣方提供的任何經修改的售樓說明書，以了解有關未落成發展項目的最新資料。
- 閱覽售樓說明書，並須特別留意以下資訊：
  - □ 售樓說明書內有否關於「有關資料」的部分，列出賣方知悉但並非為一般公眾人士所知悉，關於相當可能對享用有關住宅物業造成重大影響的事宜的資料。請注意，已在土地註冊處註冊的文件，其內容不會被視為「有關資料」；
  - □ 橫截面圖會顯示有關建築物相對毗連該建築物的每條街道的橫截面，以及每條上述街道與已知基準面和該建築物最低的一層住宅樓層的水平相對的水平。橫截面圖能以圖解形式，顯示出建築物最低一層住宅樓層和街道水平的高低差距，不論該最低住宅樓層以何種方式命名；
  - □ 室內和外部的裝置、裝修物料和設備；
  - □ 管理費按甚麼基準分擔；
  - □ 小業主有否責任或需要分擔管理、營運或維持有關發展項目以內或以外的公眾休憩用地或公共設施的開支，以及有關公眾休憩用地或公共設施的位置；以及
  - □ 小業主是否須要負責維修斜坡。

6. 政府批地文件和公契

- 閱覽政府批地文件和公契(或公契擬稿)。公契內載有天台和外牆業權等相關資料。賣方會在售樓處提供政府批地文件和公契(或公契擬稿)的複本，供準買家免費閱覽。
- 留意政府批地文件內所訂明小業主是否須要負責支付地稅。
- 留意公契內訂明有關物業內可否飼養動物。

7. 售樓處內有關可供揀選住宅物業的資料

- 向賣方查詢清楚有哪些一手住宅物業可供揀選。若賣方在售樓處內展示「消耗表」，您可從該「消耗表」得悉在每個銷售日的銷售進度資料，包括在該個銷售日開始時有哪些住宅物業可供出售，以及在該個銷售日內有哪些住宅物業已獲揀選及售出。
- 切勿隨便相信有關發展項目銷情的傳言，倉卒簽立臨時買賣合約。

8. 成交紀錄冊

- 留意發展項目的成交紀錄冊。賣方須於臨時買賣合約訂立後的24小時內，於紀錄冊披露該臨時買賣合約的資料，以及於買賣合約訂立後一個工作天內，披露該買賣合約的資料。您可透過成交紀錄冊得悉發展項目的銷售情況。
- 切勿將賣方接獲用作登記的購樓意向書或本票的數目視為銷情指標。發展項目的成交紀錄冊才是讓公眾掌握發展項目每日銷售情況的最可靠資料來源。

9. 買賣合約

- 確保臨時買賣合約和買賣合約包含條例所規定的強制性條文。
- 留意有關物業買賣交易所包括的裝置、裝修物料和設備，須在臨時買賣合約和買賣合約上列明。
- 留意夾附於買賣合約的圖則。該圖則會顯示所有賣方售予您的物業面積，而該面積通常較該物業的實用面積為大。
- 留意賣方有權改動未落成發展項目的建築圖則(如有的話)。如屬未落成發展項目，條例規定物業的買賣合約須載有強制性條文，列明如有關改動在任何方面對該物業造成影響，賣方須在改動獲建築事務監督批准後的14日內，將該項改動以書面通知買家。
- 訂立臨時買賣合約時，您須向擁有人(即賣方)支付樓價**5%**的臨時訂金。

- 如您在訂立臨時買賣合約後**五個工作日**(工作日指並非公眾假日、星期六、黑色暴雨警告日或烈風警告日的日子)之內，沒有簽立買賣合約，該臨時買賣合約即告終止，有關臨時訂金(即樓價的5%)會被沒收，而擁有人(即賣方)不得因您沒有簽立買賣合約而對您提出進一步申索。
- 在訂立臨時買賣合約後的五個工作日之內，倘您簽立買賣合約，則擁有人(即賣方)必須在訂立該臨時買賣合約後的八個工作日之內簽立買賣合約。
- 有關的訂金，應付予負責為所涉物業擔任保證金保存人的律師事務所。

10.表達購樓意向

- 留意在賣方(包括其獲授權代表)就有關住宅物業向公眾提供價單前，賣方不得尋求或接納任何對有關住宅物業的購樓意向(不論是否屬明確選擇購樓意向)。因此您不應向賣方或其授權代表提出有關意向。
- 留意在有關住宅物業的銷售開始前，賣方(包括其獲授權代表)不得尋求或接納任何對該物業的有明確選擇購樓意向。因此您不應向賣方或其授權代表提出有關意向。

11.委託地產代理

- 留意倘賣方委任一個或多於一個地產代理，以協助銷售其發展項目內任何指明住宅物業，該發展項目的價單必須列明在價單印刷日期當日所有獲委任為地產代理的姓名/名稱。
- 您可委託任何地產代理(不一定是賣方所指定的地產代理)，以協助您購置發展項目內任何指明住宅物業；您亦可不委託任何地產代理。
- 委託地產代理以物色物業前，您應該 —
  - □ 了解該地產代理是否只代表您行事。該地產代理若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益；
  - □ 了解您須否支付佣金予該地產代理。若須支付，有關的佣金金額和支付日期為何；以及
  - □ 留意只有持牌地產代理或營業員才可以接受您的委託。如有疑問，應要求該地產代理或營業員出示其「地產代理證」，或瀏覽地產代理監管局的網頁(網址：www.eaa.org.hk)，查閱牌照目錄。

12.委聘律師

- 考慮自行委聘律師，以保障您的利益。該律師若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益。
- 比較不同律師的收費。

適用於一手未落成住宅物業

13.預售樓花同意書

- 洽購地政總署「預售樓花同意方案」下的未落成住宅物業時，應向賣方確認地政總署是否已就該發展項目批出「預售樓花同意書」。

14.示範單位

- 賣方不一定須設置示範單位供準買家或公眾參觀，但賣方如為某指明住宅物業設置示範單位，必須首先設置該住宅物業的無改動示範單位，才可設置該住宅物業的經改動示範單位，並可以就該住宅物業設置多於一個經改動示範單位。
- 參觀示範單位時，務必視察無改動示範單位，以便與經改動示範單位作出比較。然而，條例並沒有限制賣方安排參觀無改動示範單位及經改動示範單位的先後次序。
- 賣方設置示範單位供公眾參觀時，應已提供有關發展項目的售樓說明書。因此，緊記先行索取售樓說明書，以便在參觀示範單位時參閱相關資料。
- 您可以在無改動示範單位及經改動示範單位中進行量度，並在無改動示範單位內拍照或拍攝影片，惟在確保示範單位參觀者人身安全的前提下，賣方可能會設定合理的限制。

適用於一手未落成住宅物業及尚待符合條件的已落成住宅物業

15.預計關鍵日期及收樓日期

- 查閱售樓說明書中有關發展項目的預計關鍵日期[3]。
  - □ 售樓說明書中有關發展項目的預計關鍵日期並不等同買家的「收樓日期」。買家的「收樓日期」一般會較發展項目的預計關鍵日期遲。然而，假若發展項目比預期早落成，「收樓日期」可能會較售樓說明書列出的預計關鍵日期為早。
- 收樓日期
  - □ 條例規定買賣合約須載有強制性條文，列明賣方須於買賣合約內列出的預計關鍵日期後的14日內，以書面為發展項目申請佔用文件、合格證明書，或地政總署署長的轉讓同意(視屬何種情況而定)。
    - > 如發展項目屬地政總署預售樓花同意方案所規管，賣方須在合格證明書或地政總署署長的轉讓同意發出後的一個月內(以較早者為準)，就賣方有能力有效地轉讓有關物業一事，以書面通知買家；或
    - > 如發展項目並非屬地政總署預售樓花同意方案所規管，賣方須在佔用文件(包括佔用許可證)發出後的六個月內，就賣方有能力有效地轉讓有關物業一事，以書面通知買家。
  - □ 條例規定買賣合約須載有強制性條文，列明有關物業的買賣須於賣方發出上述通知的日期的14日內完成。有關物業的買賣完成後，賣方將安排買家收樓事宜。
- 認可人士可批予在預計關鍵日期之後完成發展項目
  - □ 條例規定買賣合約須載有強制性條文，列明發展項目的認可人士可以在顧及純粹由以下一個或多於一個原因所導致的延遲後，批予在預計關鍵日期之後，完成發展項目：
    - > 工人罷工或封閉工地；
    - > 暴動或內亂；
    - > 不可抗力或天災；
    - > 火警或其他賣方所不能控制的意外；
    - > 戰爭；或
    - > 惡劣天氣。
  - □ 發展項目的認可人士可以按情況，多於一次批予延後預計關鍵日期以完成發展項目，即收樓日期可能延遲。
  - □ 條例規定買賣合約須載有強制性條文，列明賣方須於認可人士批予延期後的14日內，向買家提供有關延期證明書的文本。
- 如對收樓日期有任何疑問，可向賣方查詢。

適用於一手已落成住宅物業

16.賣方資料表格

- 確保取得最近三個月內印製有關您擬購買的一手已落成住宅物業的「賣方資料表格」。

17.參觀物業

- 購置住宅物業前，確保已獲安排參觀您打算購置的住宅物業。倘參觀有關物業並非合理地切實可行，則應參觀與有關物業相若的物業，除非您以書面同意賣方無須開放與有關物業相若的物業供您參觀。您應仔細考慮，然後才決定是否簽署豁免上述規定的書面同意。
- 除非有關物業根據租約持有，或為確保物業參觀者的人身安全而須設定合理限制，您可以對該物業進行量度、拍照或拍攝影片。

一手住宅物業買家須知 Notes to purchasers of first-hand residential properties

任何與賣方銷售受條例所規管的一手住宅物業有關的投訴和查詢，請與一手住宅物業銷售監管局聯絡。

網址：www.srpa.gov.hk
電話：2817 3313
電郵：enquiry_srpa@hd.gov.hk
傳真：2219 2220

其他相關聯絡資料：

消費者委員會
網址：www.consumer.org.hk
電話：2929 2222
電郵：cc@consumer.org.hk
傳真：2856 3611

地產代理監管局
網址：www.eaa.org.hk
電話：2111 2777
電郵：enquiry@eaa.org.hk
傳真：2598 9596

香港地產建設商會
電話：2826 0111
傳真：2845 2521

一手住宅物業銷售監管局
2023年3月

This Note is issued by the Sales of First-hand Residential Properties Authority (SRPA) for the purpose of section 19(1) of the Residential Properties (First-hand Sales) Ordinance.

You are advised to take the following steps before purchasing first-hand residential properties.

For all first-hand residential properties

1. Important information

- Make reference to the materials available on the Sales of First-hand Residential Properties Electronic Platform (SRPE) (www.srpe.gov.hk) on the first-hand residential property market.
- Study the information on the website designated by the vendor for the development, including the sales brochure, price lists, documents containing the sales arrangements, and the register of transactions of a development.
- Sales brochure for a development will be made available to the general public at least 7 days immediately before a date of sale while price list and sales arrangements will be made available at least 3 days immediately before the date of sale.
- Information on transactions can be found on the register of transactions on the website designated by the vendor for the development and the SRPE.

2. Fees, mortgage loan and property price

- Calculate the total expenses of the purchase, such as solicitors' fees, mortgage charges, insurance fees and stamp duties.
- Check with banks to find out if you will be able to obtain the needed mortgage loan, select the appropriate payment method and calculate the amount of the mortgage loan to ensure it is within your repayment ability.
- Check recent transaction prices of comparable properties for comparison.
- Check with the vendor or the estate agent the estimated management fee, the amount of management fee payable in advance (if any), special fund payable (if any), the amount of reimbursement of the deposits for water, electricity and gas (if any), and/or the amount of debris removal fee (if any) you have to pay to the vendor or the manager of the development.

3. Price list, payment terms and other financial incentives

- Vendors may not offer to sell all the residential properties that are covered in a price list. To know which residential properties the vendors may offer to sell, pay attention to the sales arrangements which will be announced by the vendors at least 3 days before the relevant residential properties are offered to be sold.
- Pay attention to the terms of payment as set out in a price list. If there are discounts on the price, gift, or any financial advantage or benefit to be made available in connection with the purchase of the residential properties, such information will also be set out in the price list.
- If you intend to opt for any mortgage loan plans offered by financial institutions specified by the vendor, before entering into a preliminary agreement for sale and purchase (PASP), you must study the details of various mortgage loan plans[1] as set out in the price list concerned. If you have any questions about these mortgage loan plans, you should check with the financial institutions concerned direct before entering into a PASP.

4. Property area and its surroundings

- Pay attention to the area information in the sales brochure and price list, and price per square foot/metre in the price list. According to the Residential Properties (First-hand Sales) Ordinance (Cap. 621) (the Ordinance), vendors can only present the area and price per square foot and per square metre of a residential property using saleable area. Saleable area, in relation to a residential property, means the floor area of the residential property, and includes the floor area of every one of the following to the extent that it forms part of the residential property - (i) a balcony; (ii) a utility platform; and (iii) a verandah. The saleable area excludes the area of the following which forms part of the residential property - air-conditioning plant room; bay window; cockloft; flat roof; garden; parking space; roof; stairhood; terrace and yard.
- Floor plans of all residential properties in the development have to be shown in the sales brochure. In a sales brochure, floor plans of residential properties in the development must state the external and internal dimensions of each residential property[2]. The external and internal dimensions of residential properties as provided in the sales brochure exclude plaster and finishes. You are advised to note this if you want to buy furniture before handing over of the residential property.
- Visit the development site and get to know the surroundings of the property (including transportation and community facilities). Check town planning proposals and decisions which may affect the property. Take a look at the location plan, aerial photograph, outline zoning plan and cross-section plan that are provided in the sales brochure.

5. Sales brochure

- Ensure that the sales brochure obtained is the latest version. According to the Ordinance, the sales brochure made available to the public should be printed or examined, or examined and revised within the previous 3 months.
- In respect of an uncompleted development, the vendor may alter the building plans (if any) whenever the vendor considers necessary. To know the latest information of an uncompleted development, keep paying attention to any revised sales brochures made available by the vendor.
- Read through the sales brochure and in particular, check the following information in the sales brochure –
  - □ whether there is a section on "relevant information" in the sales

---

1 按揭貸款計劃的資料包括有關按揭貸款計劃對借款人的最低收入的要求、就第一按揭連同第二按揭可獲得的按揭貸款金額上限、最長還款年期、整個還款期內的按揭利率變化，以及申請人須繳付的手續費。

2 根據條例附表1第1部第10(2)(d)條述明，售樓說明書內顯示的發展項目中的住宅物業的每一份樓面平面圖須述明以下各項 —
(i) 每個住宅物業的外部尺寸；
(ii) 每個住宅物業的內部尺寸；
(iii) 每個住宅物業的內部間隔的厚度；
(iv) 每個住宅物業內個別分隔室的外部尺寸。
根據條例附表1第1部第10(3)條，如有關發展項目的經批准的建築圖則，提供條例附表1第1部第10(2)(d)條所規定的資料，樓面平面圖須述明如此規定的該資料。

3 一般而言，「關鍵日期」指該項目符合批地文件的條件的日期，或該項目在遵照經批准的建築圖則的情況下或按照豁免證明書的發出的條件在各方面均屬完成的日期。有關詳情請參閱條例第2條。

brochure, under which information on any matter that is known to the vendor but is not known to the general public, and is likely to materially affect the enjoyment of a residential property will be set out. Please note that information contained in a document that has been registered with the Land Registry will not be regarded as "relevant information";

- ☐ the cross-section plan showing a cross-section of the building in relation to every street adjacent to the building, and the level of every such street in relation to a known datum and to the level of the lowest residential floor of the building. This will help you visualize the difference in height between the lowest residential floor of a building and the street level, regardless of how that lowest residential floor is named;
- ☐ interior and exterior fittings and finishes and appliances;
- ☐ the basis on which management fees are shared;
- ☐ whether individual owners have obligations or need to share the expenses for managing, operating and maintaining the public open space or public facilities inside or outside the development, and the location of the public open space or public facilities; and
- ☐ whether individual owners have responsibility to maintain slopes.

6. Government land grant and deed of mutual covenant (DMC)

- Read the Government land grant and the DMC (or the draft DMC). Information such as ownership of the rooftop and external walls can be found in the DMC. The vendor will provide copies of the Government land grant and the DMC (or the draft DMC) at the place where the sale is to take place for free inspection by prospective purchasers.
- Check the Government land grant on whether individual owners are liable to pay Government rent.
- Check the DMC on whether animals can be kept in the residential property.

7. Information on Availability of Residential Properties for Selection at Sales Office

- Check with the vendor which residential properties are available for selection. If a "consumption table" is displayed by the vendor at the sales office, you may check from the table information on the progress of sale on a date of sale, including which residential properties are offered for sale at the beginning of that date of sale and which of them have been selected and sold during that date of sale.
- Do not believe in rumours about the sales condition of the development and enter into a PASP rashly.

8. Register of Transactions

- Pay attention to the register of transactions for a development. A vendor must, within 24 hours after entering into a PASP with a purchaser, enter transaction information of the PASP in the register of transactions. The vendor must, within 1 working day after entering into an agreement for sale and purchase (ASP), enter transaction information of the ASP in the register of transactions. Check the register of transactions for the concerned development to learn more about the sales condition of the development.
- Never take the number of registrations of intent or cashier orders a vendor has received for the purpose of registration as an indicator of the sales volume of a development. The register of transactions for a development is the most reliable source of information from which members of the public can grasp the daily sales condition of the development.

9. Agreement for sale and purchase

- Ensure that the PASP and ASP include the mandatory provisions as required by the Ordinance.
- Pay attention that fittings, finishes and appliances to be included in the sale and purchase of the property are inserted in the PASP and ASP.
- Pay attention to the area plan annexed to the ASP which shows the total area which the vendor is selling to you. The total area which the vendor is selling to you is normally greater than the saleable area of the property.
- Pay attention to the vendor's right to alter the building plans (if any) for an uncompleted development. The mandatory provisions to be incorporated in an ASP for uncompleted development as required by the Ordinance include a provision requiring the vendor to notify the purchaser in writing of such alteration if the same affects in any way the property within 14 days after its having been approved by the Building Authority.
- A preliminary deposit of **5%** of the purchase price is payable by you to the owner (i.e. the seller) on entering into a PASP.
- If you do not execute the ASP within **5 working days** (working day means a day that is not a general holiday or a Saturday or a black rainstorm warning day or gale warning day) after entering into the PASP, the PASP is terminated, the preliminary deposit (i.e. 5% of the purchase price) is forfeited, and the owner (i.e. the seller) does not have any further claim against you for not executing the ASP.
- If you execute the ASP within 5 working days after the signing of the PASP, the owner (i.e. the seller) must execute the ASP within 8 working days after entering into the PASP.
- The deposit should be made payable to the solicitors' firm responsible for stakeholding purchasers' payments for the property.

10. Expression of intent of purchasing a residential property

- Note that vendors (including their authorized representative(s)) should not seek or accept any specific or general expression of intent of purchasing any residential property before the relevant price lists for such properties are made available to the public. You therefore should not make such an offer to the vendors or their authorized representative(s).
- Note that vendors (including their authorized representative(s)) should not seek or accept any specific expression of intent of purchasing a particular residential property before the sale of the property has commenced. You therefore should not make such an offer to the vendors or their authorized representative(s).

11. Appointment of estate agent

- Note that if the vendor has appointed one or more than one estate agents to act in the sale of any specified residential property in the development, the price list for the development must set out the name of all the estate agents so appointed as at the date of printing of the price list.
- You may appoint any estate agent (not necessarily from those estate agency companies appointed by the vendor) to act in the purchase of any specified residential property in the development, and may also not appoint any estate agent to act on your behalf.
- Before you appoint an estate agent to look for a property, you should –
  - ☐ find out whether the agent will act on your behalf only. If the agent also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest;
  - ☐ find out whether any commission is payable by you to the estate agent and, if so, its amount and the time of payment; and
  - ☐ note that only licensed estate agents or salespersons may accept your appointment. If in doubt, you should request the estate agent or salesperson to produce his/her Estate Agent Card, or check the Licence List on the Estate Agents Authority website: www.eaa.org.hk.

12. Appointment of solicitor

- Consider appointing your own solicitor to protect your interests. If the solicitor also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest.
- Compare the charges of different solicitors.

For first-hand uncompleted residential properties

13. Pre-sale Consent

- For uncompleted residential property under the Lands Department Consent Scheme, seek confirmation from the vendor whether the "Pre-sale Consent" has been issued by the Lands Department for the development.

14. Show flats

- While the vendor is not required to make any show flat available for viewing by prospective purchasers or the general public, if the vendor wishes to make available show flats of a specified residential

property, the vendor must first of all make available an unmodified show flat of that residential property and that, having made available such unmodified show flat, the vendor may then make available a modified show flat of that residential property. In this connection, the vendor is allowed to make available more than one modified show flat of that residential property.

- If you visit the show flats, you should always look at the unmodified show flats for comparison with the modified show flats. That said, the Ordinance does not restrict the discretion of the vendor in arranging the sequence of the viewing of unmodified and modified show flats.
- Sales brochure of the development should have been made available to the public when the show flat is made available for viewing. You are advised to get a copy of the sales brochure and make reference to it when viewing the show flats.
- You may take measurements in modified and unmodified show flats, and take photographs or make video recordings of unmodified show flats, subject to reasonable restriction(s) which may be set by the vendor for ensuring safety of the persons viewing the show flat.

For first-hand uncompleted residential properties and completed residential properties pending compliance

15. Estimated material date and handing over date

- Check the estimated material date[3] for the development in the sales brochure.
  - □ The estimated material date for a development in the sales brochure is not the same as the date on which a residential property is handed over to purchaser. The latter is normally later than the former. However, the handing over date may be earlier than the estimated material date set out in the sales brochure in case of earlier completion of the development.
- Handing over date
  - □ The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring the vendor to apply in writing for an Occupation Document / a Certificate of Compliance or the Director of Lands' Consent to Assign (as the case may be) in respect of the development within 14 days after the estimated material date as stipulated in the ASP.
    - > For development subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within one month after the issue of the Certificate of Compliance or the Consent to Assign, whichever first happens; or
    - > For development not subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within 6 months after the issue of the Occupation Document including Occupation Permit.
  - □ The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring completion of the sale and purchase within 14 days after the date of the notification aforesaid. Upon completion, the vendor shall arrange handover of the property to the purchaser.
- Authorized Person (AP) may grant extension(s) of time for completion of the development beyond the estimated material date.
  - □ The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision that the AP of a development may grant an extension of time for completion of the development beyond the estimated material date having regard to delays caused exclusively by any one or more of the following reasons:
    - > strike or lock-out of workmen;
    - > riots or civil commotion;
    - > force majeure or Act of God;
    - > fire or other accident beyond the vendor's control;
    - > war; or
    - > inclement weather.
  - □ The AP may grant more than once such an extension of time depending on the circumstances. That means handover of the property may be delayed.
  - □ The mandatory provisions to be incorporated in an ASP as required by the Ordinance also include a provision requiring the vendor to, within 14 days after the issue of an extension of time granted by the AP, furnish the purchaser with a copy of the relevant certificate of extension.
- Ask the vendor if there are any questions on handing over date.

For first-hand completed residential properties

16. Vendor's information form

- Ensure that you obtain the "vendor's information form(s)" printed within the previous 3 months in relation to the residential property/ properties you intend to purchase.

17. Viewing of property

- Ensure that, before you purchase a residential property, you are arranged to view the residential property that you would like to purchase or, if it is not reasonably practicable to view the property in question, a comparable property in the development, unless you agree in writing that the vendor is not required to arrange such a comparable property for viewing for you. You are advised to think carefully before signing any waiver.
- You may take measurements, take photographs or make video recordings of the property, unless the property is held under a tenancy or reasonable restriction(s) is/are needed to ensure safety of the persons viewing the property.

For complaints and enquiries relating to the sales of first-hand residential properties by the vendors which the Ordinance applies, please contact the Sales of First-hand Residential Properties Authority -

Website : www.srpa.gov.hk
Telephone : 2817 3313
Email : enquiry_srpa@hd.gov.hk
Fax : 2219 2220

Other useful contacts:

Consumer Council
Website : www.consumer.org.hk
Telephone : 2929 2222
Email : cc@consumer.org.hk
Fax : 2856 3611

Estate Agents Authority
Website : www.eaa.org.hk
Telephone : 2111 2777
Email : enquiry@eaa.org.hk
Fax : 2598 9596

Real Estate Developers Association of Hong Kong
Telephone : 2826 0111
Fax : 2845 2521

Sales of First-hand Residential Properties Authority
March 2023

---

[1] The details of various mortgage loan plans include the requirements for mortgagors on minimum income level, the loan limit under the first mortgage and second mortgage, the maximum loan repayment period, the change of mortgage interest rate throughout the entire repayment period, and the payment of administrative fees.

[2] According to section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance, each of the floor plans of the residential properties in the development in the sales brochure must state the following –
(i) the external dimensions of each residential property;
(ii) the internal dimensions of each residential property;
(iii) the thickness of the internal partitions of each residential property;
(iv) the external dimensions of individual compartments in each residential property.

According to section 10(3) in Part 1 of Schedule 1 to the Ordinance, if any information required by section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance is provided in the approved building plans for the development, a floor plan must state the information as so provided.

[3] Generally speaking, "material date" means the date on which the conditions of the land grant are complied with in respect of the development, or the date on which the development is completed in all respects in compliance with the approved building plans or the conditions subject to which the certificate of exemption is issued. For details, please refer to section 2 of the Ordinance.

發展項目的資料 Information on the development

發展項目所位於的街道的名稱及由差餉物業估價署署長為識別發展項目的目的而編配的門牌號數：

錦泰路18號*

* 此臨時門牌號數有待發展項目建成時確認。

發展項目包含2幢多單位建築物及85間獨立屋

每幢多單位建築物的樓層的總數：

第1座 - 7層 (不包括天台、機電層及頂層天台)
第2座 - 7層 (不包括天台、機電層及頂層天台)

發展項目的經批准的建築圖則所規定的每幢多單位建築物內的樓層號數：

第1座及第2座 - 地下、1樓至3樓、5樓至7樓

每幢有不依連續次序的樓層號數的多單位建築物內被略去的樓層號數：

第1座及第2座 - 4樓

每幢多單位建築物內的庇護層(如有的話)：

不適用

獨立屋

獨立屋 (稱為洋房) 的總數： 85

發展項目的經批准的建築圖則所規定的門牌號數：

A1-A3號洋房、A5-A12號洋房、A15號洋房、B1-B3號洋房、B5-B12號洋房、B15號洋房、C1-C3號洋房、C5-C12號洋房、C15-C20號洋房、D1-D3號洋房、D5-D12號洋房、D15-D22號洋房、E1-E3號洋房、E5-E12號洋房、E15-E16號洋房、F1-F3號洋房、F5-F12號洋房及F15號洋房

被略去的門牌號數：

A4號洋房、A13-A14號洋房、B4號洋房、B13-B14號洋房、C4號洋房、C13-C14號洋房、D4號洋房、D13-D14號洋房、E4號洋房、E13-E14號洋房、F4號洋房及F13-F14號洋房

由發展項目認可人士提供的發展項目的預計關鍵日期：
2027年12月30日

上述預計關鍵日期，是受到買賣合約所允許的任何延期所規限的。

為買賣合約的目的(根據批地文件，進行該買賣，需獲地政總署署長同意)，在不局限任何其他可用以證明該項目落成的方法的原則下，地政總署署長發出的合格證明書或轉讓同意，即為該項目已落成或當作已落成(視屬何情況而定)的確證。

註：「關鍵日期」指批地文件的條件就發展項目而獲符合的日期。

THE NAME OF THE STREET AT WHICH THE DEVELOPMENT IS SITUATED AND THE STREET NUMBER ALLOCATED BY THE COMMISSIONER OF RATING AND VALUATION FOR THE PURPOSE OF DISTINGUISHING THE DEVELOPMENT:

18 Kam Tai Road*

* The provisional street number is subject to confirmation when the Development is completed.

THE DEVELOPMENT CONSISTS OF 2 MULTI-UNIT BUILDINGS AND 85 HOUSES

TOTAL NUMBER OF STOREYS OF EACH MULTI-UNIT BUILDING:

Tower 1 - 7 storeys (excluding Roof, E&M Floor and Upper Roof)
Tower 2 - 7 storeys (excluding Roof, E&M Floor and Upper Roof)

THE FLOOR NUMBERING IN EACH MULTI-UNIT BUILDING AS PROVIDED IN THE APPROVED BUILDING PLANS FOR THE DEVELOPMENT:

Tower 1 and Tower 2 - G/F, 1/F-3/F, 5/F-7/F

THE OMITTED FLOOR NUMBERS IN EACH MULTI-UNIT BUILDING IN WHICH THE FLOOR NUMBERING IS NOT IN CONSECUTIVE ORDER:

Tower 1 and Tower 2 - 4/F

REFUGE FLOORS (IF ANY) OF EACH MULTI-UNIT BUILDING:

Not applicable

HOUSES

TOTAL NUMBER OF HOUSES: 85

THE HOUSE NUMBERING AS PROVIDED IN THE APPROVED BUILDING PLANS FOR THE DEVELOPMENT:

House A1-A3, House A5-A12, House A15, House B1-B3, House B5-B12, House B15, House C1-C3, House C5-C12, House C15-C20, House D1-D3, House D5-D12, House D15-D22, House E1-E3, House E5-E12, House E15-E16, House F1-F3, House F5-F12 and House F15

THE OMITTED HOUSE NUMBER:

House A4, House A13-A14, House B4, House B13-B14, House C4, House C13-C14, House D4, House D13-D14, House E4, House E13-E14, House F4 and House F13-F14

THE ESTIMATED MATERIAL DATE FOR THE DEVELOPMENT AS PROVIDED BY THE AUTHORIZED PERSON FOR THE DEVELOPMENT:

30th December 2027

The above estimated material date is subject to any extension of time that is permitted under the Agreement for Sale and Purchase.

For the purpose of the Agreement for Sale and Purchase, (under the land grant, the consent of the Director of Lands is required to be given for the sale and purchase,) without limiting any other means by which the completion of the Development may be proved, the issue of a certificate of compliance or consent to assign by the Director of Lands is conclusive evidence that the Development has been completed or is deemed to be completed (as the case may be).

Note: "material date" means the date on which the conditions of the land grant are complied with in respect of the Development.

賣方及有參與發展項目的其他人的資料 Information on vendor and others involved in the development

賣方	：	Delight World Limited
賣方之控權公司	：	Satiate Group Limited、Paola Holdings Limited、Novel Trend Holdings Limited、Mighty State Limited 及長江實業集團有限公司
發展項目的認可人士	：	周力華先生
發展項目的認可人士以其專業身分擔任經營人、董事或僱員的商號或法團	：	A&T Design (HK) Limited
發展項目的承建商	：	卓越天工有限公司
就發展項目中的住宅物業的出售而代表擁有人行事的律師事務所	：	高李葉律師行、高露雲律師行
已為發展項目的建造提供貸款或已承諾為該項建造提供融資的認可機構	：	香港上海滙豐銀行有限公司
已為發展項目的建造提供貸款的其他人	：	CK Property & Asset Holdings Limited

VENDOR	:	Delight World Limited
HOLDING COMPANIES OF THE VENDOR	:	Satiate Group Limited, Paola Holdings Limited, Novel Trend Holdings Limited, Mighty State Limited and CK Asset Holdings Limited
AUTHORIZED PERSON FOR THE DEVELOPMENT	:	Mr. Chow Lik Wah
THE FIRM OR CORPORATION OF WHICH AN AUTHORIZED PERSON FOR THE DEVELOPMENT IS A PROPRIETOR, DIRECTOR OR EMPLOYEE IN HIS OR HER PROFESSIONAL CAPACITY	:	A&T Design (HK) Limited
BUILDING CONTRACTOR FOR THE DEVELOPMENT	:	Superb Interior Contracting Company Limited
FIRM OF SOLICITORS ACTING FOR THE OWNER IN RELATION TO THE SALE OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT	:	Kao, Lee & Yip, Wilkinson & Grist
AUTHORIZED INSTITUTION THAT HAS MADE A LOAN, OR HAS UNDERTAKEN TO PROVIDE FINANCE, FOR THE CONSTRUCTION OF THE DEVELOPMENT	:	The Hongkong and Shanghai Banking Corporation Limited
OTHER PERSONS WHO HAVE MADE A LOAN FOR THE CONSTRUCTION OF THE DEVELOPMENT	:	CK Property & Asset Holdings Limited

有參與發展項目的各方的關係 Relationship between parties involved in the development

(a) 賣方或有關發展項目的承建商屬個人，並屬該項目的認可人士的家人；	不適用
(b) 賣方或該項目的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的家人；	不適用
(c) 賣方或該項目的承建商屬法團，而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的家人；	否
(d) 賣方或該項目的承建商屬個人，並屬上述認可人士的有聯繫人士的家人；	不適用
(e) 賣方或該項目的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的有聯繫人士的家人；	不適用
(f) 賣方或該項目的承建商屬法團，而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的有聯繫人士的家人；	否
(g) 賣方或該項目的承建商屬個人，並屬就該項目內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人；	不適用
(h) 賣方或該項目的承建商屬合夥，而該賣方或承建商的合夥人屬就該項目內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人；	不適用
(i) 賣方或該項目的承建商屬法團，而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述律師事務所的經營人的家人；	否
(j) 賣方、賣方的控權公司或有關項目的承建商屬私人公司，而該項目的認可人士或該認可人士的有聯繫人士持有該賣方、控權公司或承建商最少10% 的已發行股份；	否
(k) 賣方、賣方的控權公司或該項目的承建商屬上市公司，而上述認可人士或上述有聯繫人士持有該賣方、控權公司或承建商最少1%的已發行股份；	否
(l) 賣方或該項目的承建商屬法團，而上述認可人士或上述有聯繫人士屬該賣方、承建商或該賣方的控權公司的僱員、董事或秘書；	否
(m) 賣方或該項目的承建商屬合夥，而上述認可人士或上述有聯繫人士屬該賣方或承建商的僱員；	不適用
(n) 賣方、賣方的控權公司或該項目的承建商屬私人公司，而就該項目中的住宅物業的出售而代表擁有人行事的律師事務所的經營人持有該賣方、控權公司或承建商最少10%的已發行股份；	否
(o) 賣方、賣方的控權公司或該項目的承建商屬上市公司，而上述律師事務所的經營人持有該賣方、控權公司或承建商最少1%的已發行股份；	否
(p) 賣方或該項目的承建商屬法團，而上述律師事務所的經營人屬該賣方或承建商或該賣方的控權公司的僱員、董事或秘書；	否
(q) 賣方或該項目的承建商屬合夥，而上述律師事務所的經營人屬該賣方或承建商的僱員；	不適用
(r) 賣方或該項目的承建商屬法團，而該項目的認可人士以其專業身分擔任董事或僱員的法團為該賣方或承建商或該賣方的控權公司的有聯繫法團；	否
(s) 賣方或該項目的承建商屬法團，而該承建商屬該賣方或該賣方的控權公司的有聯繫法團。	否

有參與發展項目的各方的關係 Relationship between parties involved in the development

(a) the Vendor or a building contractor for the Development is an individual, and that Vendor or contractor is an immediate family member of an authorized person for the Development;	Not Applicable
(b) the Vendor or a building contractor for the Development is a partnership, and a partner of that Vendor or contractor is an immediate family member of such an authorized person;	Not Applicable
(c) the Vendor or a building contractor for the Development is a corporation, and a director or the secretary of that Vendor or contractor (or a holding company of that Vendor) is an immediate family member of such an authorized person;	No
(d) the Vendor or a building contractor for the Development is an individual, and that Vendor or contractor is an immediate family member of an associate of such an authorized person;	Not Applicable
(e) the Vendor or a building contractor for the Development is a partnership, and a partner of that Vendor or contractor is an immediate family member of an associate of such an authorized person;	Not Applicable
(f) the Vendor or a building contractor for the Development is a corporation, and a director or the secretary of that Vendor or contractor (or a holding company of that Vendor) is an immediate family member of an associate of such an authorized person;	No
(g) the Vendor or a building contractor for the Development is an individual, and that Vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Development;	Not Applicable
(h) the Vendor or a building contractor for the Development is a partnership, and a partner of that Vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Development;	Not Applicable
(i) the Vendor or a building contractor for the Development is a corporation, and a director or the secretary of that Vendor or contractor (or a holding company of that Vendor) is an immediate family member of a proprietor of such a firm of solicitors;	No
(j) the Vendor, a holding company of the Vendor, or a building contractor for the Development, is a private company, and an authorized person for the Development, or an associate of such an authorized person, holds at least 10% of the issued shares in that Vendor, holding company or contractor;	No
(k) the Vendor, a holding company of the Vendor, or a building contractor for the Development, is a listed company, and such an authorized person, or such an associate, holds at least 1% of the issued shares in that Vendor, holding company or contractor;	No
(l) the Vendor or a building contractor for the Development is a corporation, and such an authorized person, or such an associate, is an employee, director or secretary of that Vendor or contractor or of a holding company of that Vendor;	No
(m) the Vendor or a building contractor for the Development is a partnership, and such an authorized person, or such an associate, is an employee of that Vendor or contractor;	Not Applicable
(n) the Vendor, a holding company of the Vendor, or a building contractor for the Development, is a private company, and a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Development holds at least 10% of the issued shares in that Vendor, holding company or contractor;	No
(o) the Vendor, a holding company of the Vendor, or a building contractor for the Development, is a listed company, and a proprietor of such a firm of solicitors holds at least 1% of the issued shares in that Vendor, holding company or contractor;	No
(p) the Vendor or a building contractor for the Development is a corporation, and a proprietor of such a firm of solicitors is an employee, director or secretary of that Vendor or contractor or of a holding company of that Vendor;	No
(q) the Vendor or a building contractor for the Development is a partnership, and a proprietor of such a firm of solicitors is an employee of that Vendor or contractor;	Not Applicable
(r) the Vendor or a building contractor for the Development is a corporation, and the corporation of which an authorized person for the Development is a director or employee in his or her professional capacity is an associate corporation of that Vendor or contractor or of a holding company of that Vendor;	No
(s) the Vendor or a building contractor for the Development is a corporation, and that contractor is an associate corporation of that Vendor or of a holding company of that Vendor.	No

發展項目的設計的資料 Information on design of the development

發展項目將會有構成圍封牆的一部分的非結構的預製外牆。
There will be non-structural prefabricated external walls forming part of the enclosing walls of the Development.

發展項目將不會有構成圍封牆的一部分的幕牆。
There will be no curtain walls forming part of the enclosing walls of the Development.

每幢建築物的非結構的預製外牆的厚度的範圍：
THE RANGE OF THICKNESS OF THE NON-STRUCTURAL PREFABRICATED EXTERNAL WALLS OF EACH BLOCK:

每幢建築物的非結構的預製外牆的厚度範圍(毫米) The Range of Thickness of the Non-structural Prefabricated External Walls of Each Block (mm)	
第1座 Tower 1	150
第2座 Tower 2	150
洋房 House	150

備註：第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remark: Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14 , F4, F13 and F14 are omitted.

每個住宅物業的非結構的預製外牆的總面積表：
SCHEDULE OF TOTAL AREA OF THE NON-STRUCTURAL PREFABRICATED EXTERNAL WALLS OF EACH RESIDENTIAL PROPERTY:

大廈名稱 Block Name	樓層 Floor	單位 Flat	每個住宅物業的非結構的預製外牆的總面積(平方米) Total Area of Non-Structural Prefabricated External Walls of Each Residential Property (sq.m)
第1座 Tower 1	地下 G/F	A	1.385
		C	0.555
		D	0.566
		E	0.550
		F	1.115
		G	0.375
		H	0.855
		J	1.374
		K	1.378
		L	0.414
		M	1.139
		R	0.556
		T	1.637
	1樓至6樓 1/F - 6/F	A	1.549
		B	1.901
		C	0.733
		D	0.755
		E	0.718
		F	1.271
		G	0.530
		H	1.033
		J	1.541
		K	1.525
		L	0.592
		M	1.295
		N	0.737
		P	0.737
		Q	0.733
		R	0.734
		S	1.920
		T	1.549
	7樓 7/F	A	1.549
		B	1.901
		C	0.733
		D	0.755
		E	0.718
		F	1.271
		G	0.530
		H	1.033
		J	1.541
		K	1.525
		L	0.592
		M	1.295
		N	0.737
		P	0.737
		Q	0.733
		R	0.734
		S	1.920
		T	1.549

大廈名稱 Block Name	樓層 Floor	單位 Flat	每個住宅物業的非結構的預製外牆的總面積(平方米) Total Area of Non-Structural Prefabricated External Walls of Each Residential Property (sq.m)
第2座 Tower 2	地下 G/F	A	1.385
		C	0.555
		D	0.566
		E	0.550
		F	1.115
		G	0.375
		H	0.855
		J	1.374
		K	1.490
		L	0.414
		M	1.139
		R	0.556
		T	1.637
	1樓至6樓 1/F - 6/F	A	1.549
		B	1.901
		C	0.733
		D	0.755
		E	0.718
		F	1.271
		G	0.530
		H	1.033
		J	1.541
		K	1.645
		L	0.592
		M	1.295
		N	0.737
		P	0.737
		Q	0.733
		R	0.734
		S	1.920
		T	1.549
	7樓 7/F	A	1.549
		B	1.901
		C	0.733
		D	0.755
		E	0.718
		F	1.271
		G	0.530
		H	1.033
		J	1.541
		K	1.645
		L	0.592
		M	1.295
		N	0.737
		P	0.737
		Q	0.733
		R	0.734
		S	1.920
		T	1.549

發展項目的設計的資料 Information on design of the development

洋房編號 House Number	每個住宅物業的非結構的預製外牆的總面積（平方米） Total Area of Non-Structural Prefabricated External Walls of Each Residential Property (sq.m)
A1	7.140
A2	3.996
A3	3.996
A5	3.996
A6	3.996
A7	3.996
A8	3.996
A9	2.566
A10	1.982
A11	2.807
A12	2.000
A15	2.776
B1	2.776
B2	2.000
B3	3.485
B5	1.927
B6	3.064
B7	2.949
B8	1.985
B9	1.985
B10	2.178
B11	2.178
B12	2.000
B15	2.776
C1	2.776
C2	2.000
C3	2.178
C5	2.178
C6	1.985
C7	1.985
C8	2.186
C9	3.971
C10	3.645
C11	2.178
C12	2.178
C15	1.985
C16	1.985
C17	2.178
C18	2.178
C19	2.000
C20	2.776

洋房編號 House Number	每個住宅物業的非結構的預製外牆的總面積（平方米） Total Area of Non-Structural Prefabricated External Walls of Each Residential Property (sq.m)
D1	2.776
D2	2.000
D3	2.178
D5	2.178
D6	1.985
D7	1.985
D8	2.178
D9	2.178
D10	3.645
D11	4.181
D12	2.239
D15	2.178
D16	2.178
D17	1.985
D18	1.985
D19	2.178
D20	2.178
D21	2.000
D22	2.776
E1	2.776
E2	2.000
E3	2.178
E5	2.178
E6	1.985
E7	1.985
E8	2.178
E9	1.993
E10	2.178
E11	2.742
E12	2.186
E15	2.000
E16	2.776
F1	2.776
F2	2.000
F3	2.201
F5	2.928
F6	5.232
F7	4.010
F8	4.730
F9	3.301
F10	3.270
F11	3.270
F12	4.920
F15	5.800

備註：第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。
Remark: Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14 , F4, F13 and F14 are omitted.

物業管理的資料 Information on property management


根據有關公契的最新擬稿，獲委任為發展項目的管理人的人：

港基物業管理有限公司

THE PERSON APPOINTED AS THE MANAGER OF THE DEVELOPMENT UNDER THE LATEST DRAFT DEED OF MUTUAL COVENANT:

Citybase Property Management Limited

發展項目的所在位置圖 Location plan of the development



發展項目的位置
Location of the Development

米 metres 比例尺 SCALE
0 100 200 250

N

NOTATION 圖例

- 宗教場所（包括教堂、廟宇及祠堂）
  A Religious Institution (including a Church, a Temple and a Tsz Tong)
- 公園
  A Public Park
- 公用事業設施裝置
  A Public Utility Installation
- 公廁
  A Public Convenience
- 社會福利設施（包括老人中心及弱智人士護理院）
  Social Welfare Facilities (including an Elderly Centre and a Home for the Mentally Disabled)
- 垃圾收集站
  A Refuse Collection Point
- 公眾停車場（包括貨車停泊處）
  A Public Carpark (including a Lorry Park)
- 發電廠（包括電力分站）
  A Power Plant (including Electricity Sub-stations)
- 學校（包括幼稚園）
  A School (including a Kindergarten)
- 體育設施（包括運動場及游泳池）
  Sports Facilities (including a Sports Ground and a Swimming Pool)

地圖由空間數據共享平台提供，香港特別行政區政府為知識產權擁有人。
The map is provided by the Common Spatial Data Infrastructure (CSDI) Portal and intellectual property rights are owned by the Government of the HKSAR.


此位置圖是由賣方參考地政總署測繪處於2026年9月27日出版之數碼地形圖擬備，圖幅編號為6-NE-A，有需要處經修正處理。
This Location Plan is prepared by the Vendor with reference to the Digital Topographic Map 6-NE-A dated 27 September 2026 available from Survey and Mapping Office of the Lands Department, with adjustments where necessary.

備註 Notes：

因技術原因（例如發展項目之不規則形狀），所在位置圖所顯示之範圍多於《一手住宅物業銷售條例》所要求顯示的範圍。
Due to technical reasons (such as the irregular shape of the Development), the location plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.

賣方亦建議準買方到有關發展地盤作實地考察，以對該發展地盤、其周邊地區環境及附近的公共設施有較佳了解。
The Vendor also advises prospective purchasers to conduct an on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.

發展項目的鳥瞰照片 Aerial photograph of the development



摘錄自地政總署測繪處於2025年6月10日在6,000呎飛行高度拍攝之鳥瞰照片，編號為E257755C。
Extracted from the aerial photograph taken by the Survey and Mapping Office of Lands Department at a flying height 6,000 feet, Photo No. E257755C, dated 10th June 2025.

香港特別行政區政府地政總署測繪處©版權所有，未經許可，不得複製。
Survey and Mapping Office, Lands Department, The Government of HKSAR ©Copyright reserved – reproduction by permission only.


● 發展項目的位置
Location of the Development

備註 Notes：

因技術原因（例如發展項目之不規則形狀），鳥瞰照片所顯示之範圍多於《一手住宅物業銷售條例》所要求顯示的範圍。
Due to technical reasons (such as the irregular shape of the Development), the aerial photograph has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.

賣方亦建議準買方到有關發展地盤作實地考察，以對該發展地盤、其周邊地區環境及附近的公共設施有較佳了解。
The Vendor also advises prospective purchasers to conduct an on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.

關乎發展項目的分區計劃大綱圖 Outline zoning plan relating to the development



發展項目的邊界線
Boundary Line of the Development

摘錄自憲報公佈日期為2023年12月15日之錦田北分區計劃大綱核准圖編號 No. S/YL-KTN/11。
Extracted from approved Kam Tin North Outline Zoning Plan No. S/YL-KTN/11 gazetted on 15th December 2023.

香港特別行政區政府地政總署測繪處©版權所有，未經許可，不得翻印。
Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.

圖例 NOTATION

地帶		ZONES
商業	C	COMMERCIAL
綜合發展區	CDA	COMPREHENSIVE DEVELOPMENT AREA
住宅(甲類)	R(A)	RESIDENTIAL (GROUP A)
住宅(乙類)	R(B)	RESIDENTIAL (GROUP B)
住宅(丙類)	R(C)	RESIDENTIAL (GROUP C)
住宅(丁類)	R(D)	RESIDENTIAL (GROUP D)
住宅(戊類)	R(E)	RESIDENTIAL (GROUP E)
鄉村式發展	V	VILLAGE TYPE DEVELOPMENT
工業(丁類)	I(D)	INDUSTRIAL (GROUP D)
政府、機構或社區	G/IC	GOVERNMENT, INSTITUTION OR COMMUNITY
休憩用地	O	OPEN SPACE
其他指定用途	OU	OTHER SPECIFIED USES
其他指定用途(美化市容地帶)	OU(A)	OTHER SPECIFIED USES (AMENITY AREA)
農業	AGR	AGRICULTURE
綠化地帶	GB	GREEN BELT
自然保育區	CA	CONSERVATION AREA

交通		COMMUNICATIONS
鐵路及車站	車站 STATION	RAILWAY AND STATION
鐵路及車站(地下)	車站 STATION	RAILWAY AND STATION (UNDERGROUND)
鐵路及車站(高架)	車站 STATION	RAILWAY AND STATION (ELEVATED)
主要道路及路口		MAJOR ROAD AND JUNCTION
高架道路		ELEVATED ROAD


其他		MISCELLANEOUS
規劃範圍界線		BOUNDARY OF PLANNING SCHEME
排水專用範圍	DR	DRAINAGE RESERVE
建築物高度管制區界線		BUILDING HEIGHT CONTROL ZONE BOUNDARY
最高建築物高度(在主水平基準上若干米)	185	MAXIMUM BUILDING HEIGHT (IN METRES ABOVE PRINCIPAL DATUM)
最高建築物高度(樓層數目)	3	MAXIMUM BUILDING HEIGHT (IN NUMBER OF STOREYS)
加油站	P F S	PETROL FILLING STATION
非建築用地	NBA	NON-BUILDING AREA

備註 Notes：

因技術原因(例如發展項目之不規則形狀)，分區計劃大綱圖所顯示之範圍多於《一手住宅物業銷售條例》所要求顯示的範圍。
Due to technical reasons (such as the irregular shape of the Development), the outline zoning plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.

賣方亦建議準買方到有關發展地盤作實地考察，以對該發展地盤、其周邊地區環境及附近的公共設施有較佳了解。
The Vendor also advises prospective purchasers to conduct an on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.

關乎發展項目的分區計劃大綱圖 Outline zoning plan relating to the development



發展項目的邊界線
Boundary Line of the Development

摘錄自憲報公佈日期為2018年12月21日之錦田南分區計劃大綱核准圖編號 S/YL-KTS/15。
Extracted from approved Kam Tin South Outline Zoning Plan No. S/YL-KTS/15 gazetted on 21st December 2018.

香港特別行政區政府地政總署測繪處©版權所有，未經許可，不得翻印。
Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.

圖例 NOTATION

地帶		ZONES
商業	C	COMMERCIAL
綜合發展區	CDA	COMPREHENSIVE DEVELOPMENT AREA
住宅(甲類)	R(A)	RESIDENTIAL (GROUP A)
住宅(丙類)	R(C)	RESIDENTIAL (GROUP C)
住宅(丁類)	R(D)	RESIDENTIAL (GROUP D)
鄉村式發展	V	VILLAGE TYPE DEVELOPMENT
政府、機構或社區	G/IC	GOVERNMENT, INSTITUTION OR COMMUNITY
休憩用地	O	OPEN SPACE
其他指定用途	OU	OTHER SPECIFIED USES
農業	AGR	AGRICULTURE
綠化地帶	GB	GREEN BELT
自然保育區	CA	CONSERVATION AREA

交通		COMMUNICATIONS
鐵路及車站	車站 STATION	RAILWAY AND STATION
鐵路及車站(地下)	車站 STATION	RAILWAY AND STATION (UNDERGROUND)
鐵路及車站(高架)	車站 STATION	RAILWAY AND STATION (ELEVATED)
主要道路及路口		MAJOR ROAD AND JUNCTION
高架道路		ELEVATED ROAD

其他		MISCELLANEOUS
規劃範圍界線		BOUNDARY OF PLANNING SCHEME
排水專用範圍	DR	DRAINAGE RESERVE
最高建築物高度 (在主水平基準上若干米)	69	MAXIMUM BUILDING HEIGHT (IN METRES ABOVE PRINCIPAL DATUM)
加油站	P F S	PETROL FILLING STATION

備註 Notes：

因技術原因(例如發展項目之不規則形狀)，分區計劃大綱圖所顯示之範圍多於《一手住宅物業銷售條例》所要求顯示的範圍。
Due to technical reasons (such as the irregular shape of the Development), the outline zoning plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.

賣方亦建議準買方到有關發展地盤作實地考察，以對該發展地盤、其周邊地區環境及附近的公共設施有較佳了解。
The Vendor also advises prospective purchasers to conduct an on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.

發展項目的布局圖 Layout plan of the development



發展項目的邊界線
Boundary line of the Development

發展項目的認可人士提供的未落成建築物或設施的預計落成日期：2027年9月30日
THE ESTIMATED DATE OF COMPLETION OF THE UNCOMPLETED BUILDINGS AND FACILITIES AS PROVIDED BY THE AUTHORIZED PERSON FOR THE DEVELOPMENT: 30th September 2027

發展項目的住宅物業的樓面平面圖 Floor plans of residential properties in the development

GLOSSARY 詞彙表

2 NOS FS INLET = 2 numbers Fire Service Inlet = 2個消防入水掣

ALUM GRILLES = Aluminium Grilles = 鋁質格柵

F.S INLET & SPR INLET = Fire Service Inlet and Sprinkler Inlet = 消防及消防花灑入水掣

A/C = Air-Conditioner Platform = 冷氣機平台

AC/P = Air-Conditioner Platform = 冷氣機平台

AD = Air Duct = 風管槽

A.F = Architectural Feature = 建築裝飾

A.F ABOVE = Architectural Feature Above = 建築裝飾在上

BAFFLE TYPE ACOUSTIC WINDOW = 隔聲擋板

BAFFLE TYPE ACOUSTIC WINDOW FOR 6/F ONLY = 隔聲擋板只設於6樓

BAFFLE TYPE ACOUSTIC WINDOW FOR 5/F & 6/F ONLY = 隔聲擋板只設於5樓及6樓

BATH = Bathroom = 浴室

BATH 1 = Bathroom 1 = 浴室1

BATH 2 = Bathroom 2 = 浴室2

BF FRESH AIR INTAKE = Basement Floor Fresh Air Intake = 地庫通風入口

BR/B.R = Bedroom = 睡房

B.R. 1 = Bedroom 1 = 睡房1

B.R. 2 = Bedroom 2 = 睡房2

B.R. 3 = Bedroom 3 = 睡房3

CABLE DUCT = 電線槽

CABLE RISER DUCT = 電線管道槽

CANOPY AT 1/F ONLY = 遮雨篷只設於1樓

DN = Down = 落

DINING = Dining Room = 飯廳

E&M DUCT = Electrical and Mechanical Duct = 機電槽

E&M SPACE = Electrical and Mechanical Space = 機電位

ELV DUCT = Extra Low Voltage Duct = 特低電壓槽

ELV ROOM = Extra Low Voltage Room = 特低電壓房

E.M.C = Electrical Meter Cabinet = 電錶櫃

E.M.R = Electrical Meter Room = 電錶房

ENTRANCE LOBBY = 入口大堂

EXHAUST FAN RM FOR RS&MRR = Exhaust Fan Room for Refuse Storage and Material Recovery Room = 垃圾及物料回收室抽氣室

FH / F.H = Fire Hydrant - 消防栓

FRESH AIR INTAKE DUCT = 鮮風進風槽

F.S CONTROL RM & SPRINKLER CONTROL VALVE = Fire Service Control Room and Sprinkler Control Valve = 消防控制室及灑水器閥門

GUARD HOUSE = 保安更亭

HR/H.R. / H.R = Hose Reel = 消防喉轆

HR AT H/L = Hose Reel at High Level = 消防喉轆於高位

INACCESSIBLE FLAT ROOF AT 1/F ONLY = 只設於1樓之不可進入之平台

INACCESSIBLE FLAT ROOF = 不可進入之平台

KIT = Kitchen = 廚房

LAV. / LAV = Lavatory = 洗手間

LIFT SHAFT = 升降機槽

LIV/DIN = Living Room/Dining Room = 客廳/飯廳

LIVING = Living Room = 客廳

MBR / M.B.R = Master Bedroom = 主人睡房

M. BATH = Master Bathroom = 主人浴室

OFFICE ACCOMMODATION FOR WATCHMEN = 保安室

O. KIT = Open Kitchen = 開放式廚房

OWNER'S CORPORATION = 業主立案法團

OWNERS' CORPORATION OFFICE = 業主立案法團辦公室

P = Planter = 花槽

P.D / P.D. / PD = Pipe Duct = 管道槽

PRIVATE FLAT ROOF = 私人平台

PRIVATE GARDEN = 私人花園

PRIVATE ROOF = 私人天台

QUARTER FOR CARETAKER = 管理員宿舍

RAMP UP = 向上斜坡

RS&MRR = Refuse Storage and Material Recovery Room = 垃圾及物料回收室

S.V / SV = Smoke Vent = 排煙口

SPR. INLET = Sprinkler Inlet =消防花灑入水掣

SPR. INLET (Basement) = Sprinkler Inlet (Basement) = 消防花灑入水掣(地庫)

SPRINKLER CONTROL VALVE RM = Sprinkler Control Valve Room = 灑水器閥門房

STAIRCASE TOP VENT = 樓梯頂部通風口

STORE = Store Room = 儲物房

SUN SHADING = 遮陽篷

T.B.E RM = Telecommunications and Broadcasting Equipment Room = 電訊及廣播設備室

T.G DOG HOUSE = Town Gas Dog House = 煤氣喉管罩室

UP = 上

WATER TANK & PUMP RM(1) = Water Tank and Pump Room(1) = 水缸及水泵房(1)

WATER TANK & PUMP RM(2) = Water Tank and Pump Room(2) = 水缸及水泵房(2)

W.M.C = Water Meter Cabinet = 水錶櫃

W.M.C.1 / W.M.C.2 / W.M.C.3 / W.M.C 4 = Water Meter Cabinet 1 / Water Meter Cabinet 2 / Water Meter Cabinet 3 / Water Meter Cabinet 4 = 水錶櫃1 / 水錶櫃2 / 水錶櫃3 / 水錶櫃4

發展項目的住宅物業的樓面平面圖 Floor plans of residential properties in the development

適用於本節各樓面平面圖之備註：

1. 樓面平面圖之尺寸所列數字為以毫米標示之建築結構尺寸。

2. 部分樓層外牆範圍設有建築裝飾及/或外露喉管，詳情請參閱發展項目最新經批准之一般建築圖則及其他相關圖則。

3. 部分住宅物業的天台側外牆有公用去水渠及/或電機喉管。

4. 部分住宅物業客廳/飯廳、睡房、走廊、浴室、儲物房、開放式廚房及/或廚房之裝飾橫樑或假天花內裝置冷氣系統及/或喉管及/或其他機電設備。

5. 樓面平面圖所示之裝置如洗滌盤、煮食爐、浴缸、坐廁、面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。

6. 住宅物業的範圍及邊界以公契和交易文件作準。

Remarks applicable to the floor plans of this section:

1. The dimensions of the floor plans are all structural dimensions in millimeters.

2. There may be architectural features and/or exposed pipes on external walls of some of the floors. For details, please refer to the latest approved general building plans and other relevant plans of the Development.

3. Common drain pipes and/or electrical and mechanical services are located on the external walls adjacent to roofs of some residential properties.


4. There are ceiling bulkheads or false ceiling in living rooms/dining rooms, bedrooms, corridors, bathrooms, storerooms, open kitchens and/or kitchens of some residential properties for installing the air-conditioning system and/or conduit and/or other mechanical and electrical services.

5. The indications of fittings such as sinks, cooker hobs, bathtubs, toilet bowls, wash basins etc. shown on the floor plans are indications of their approximate locations only and not indications of their actual sizes, designs and shapes.

6. The area and demarcation of residential properties are subject to the deed of mutual covenant and transaction documents.

第1座 Tower 1 ｜ 地下 G/F

A單位、C單位、D單位、R單位及T單位
Flat A, Flat C, Flat D, Flat R and Flat T



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.5米

The floor-to-floor height of each residential property: 3.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第1座 Tower 1 ｜ 地下 G/F

E單位、F單位、G單位、H單位、J單位、K單位、L單位及M單位
Flat E, Flat F, Flat G, Flat H, Flat J, Flat K, Flat L and Flat M



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.5米

The floor-to-floor height of each residential property: 3.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第1座 Tower 1 | 1樓 – 6樓 1/F - 6/F

A單位、B單位、C單位、D單位、P單位、Q單位、R單位、S單位及T單位
Flat A, Flat B, Flat C, Flat D, Flat P, Flat Q, Flat R, Flat S and Flat T



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：2.975米

The floor-to-floor height of each residential property: 2.975m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section "Floor Plans of Residential Properties in the development" for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第1座 Tower 1 ｜ 1樓 – 6樓 1/F - 6/F

E單位、F單位、G單位、H單位、J單位、K單位、L單位、M單位及N單位
Flat E, Flat F, Flat G, Flat H, Flat J, Flat K, Flat L, Flat M and Flat N



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：2.975米

The floor-to-floor height of each residential property: 2.975m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：

1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。


Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第1座 Tower 1 ｜ 7樓 7/F

A單位、B單位、C單位、D單位、P單位、Q單位、R單位、S單位及T單位

Flat A, Flat B, Flat C, Flat D, Flat P, Flat Q, Flat R, Flat S and Flat T



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：2.975米

The floor-to-floor height of each residential property: 2.975m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第1座 Tower 1 ｜ 7樓 7/F

E單位、F單位、G單位、H單位、J單位、K單位、L單位、M單位及N單位
Flat E, Flat F, Flat G, Flat H, Flat J, Flat K, Flat L, Flat M and Flat N



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：2.975米

The floor-to-floor height of each residential property: 2.975m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第1座 Tower 1 ｜ 天台 Roof

A單位、B單位、C單位、D單位、P單位、Q單位、R單位、S單位及T單位
Flat A, Flat B, Flat C, Flat D, Flat P, Flat Q, Flat R, Flat S and Flat T



每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第1座 Tower 1 ｜ 天台 Roof

E單位、F單位、G單位、H單位、J單位、K單位、L單位、M單位及N單位
Flat E, Flat F, Flat G, Flat H, Flat J, Flat K, Flat L, Flat M and Flat N



每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第2座 Tower 2 ｜ 地下 G/F

F單位、G單位、H單位、J單位、K單位、L單位及M單位
Flat F, Flat G, Flat H, Flat J, Flat K, Flat L and Flat M



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.5米

The floor-to-floor height of each residential property: 3.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第2座 Tower 2 ｜ 地下 G/F

A單位、C單位、D單位、E單位、R單位及T單位
Flat A, Flat C, Flat D, Flat E, Flat R and Flat T



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.5米

The floor-to-floor height of each residential property: 3.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第2座 Tower 2 ｜ 1樓 – 6樓 1/F - 6/F

F單位、G單位、H單位、J單位、K單位、L單位、M單位及N單位
Flat F, Flat G, Flat H, Flat J, Flat K, Flat L, Flat M and Flat N



N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：2.975米

The floor-to-floor height of each residential property: 2.975m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第2座 Tower 2 ｜ 1樓 – 6樓 1/F - 6/F

A單位、B單位、C單位、D單位、E單位、P單位、Q單位、R單位、S單位及T單位
Flat A, Flat B, Flat C, Flat D, Flat E, Flat P, Flat Q, Flat R, Flat S and Flat T



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：2.975米

The floor-to-floor height of each residential property: 2.975m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第2座 Tower 2 ｜ 7樓 7/F

F單位、G單位、H單位、J單位、K單位、L單位、M單位及N單位
Flat F, Flat G, Flat H, Flat J, Flat K, Flat L, Flat M and Flat N



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：2.975米

The floor-to-floor height of each residential property: 2.975m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第2座 Tower 2 ｜ 7樓 7/F

A單位、B單位、C單位、D單位、E單位、P單位、Q單位、R單位、S單位及T單位
Flat A, Flat B, Flat C, Flat D, Flat E, Flat P, Flat Q, Flat R, Flat S and Flat T



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：2.975米

The floor-to-floor height of each residential property: 2.975m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第2座 Tower 2 ｜ 天台 Roof

F單位、G單位、H單位、J單位、K單位、L單位、M 單位及N單位
Flat F, Flat G, Flat H, Flat J, Flat K, Flat L, Flat M and Flat N



每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

第2座 Tower 2 | 天台 Roof

A單位、B單位、C單位、D單位、E單位、P單位、Q單位、R單位、S單位及T單位
Flat A, Flat B, Flat C, Flat D, Flat E, Flat P, Flat Q, Flat R, Flat S and Flat T



每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：

1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。


Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.


A1號洋房 | House A1

地下、1樓及天台


G/F, 1/F and Roof




Ground Floor Plan
地下平面圖



First Floor Plan
1樓平面圖



Roof Floor Plan
天台平面圖



N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：地下及1樓：150毫米；天台：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: G/F and 1/F: 150mm; Roof: Not applicable

每個住宅物業的層與層之間的高度：地下：3.775米、4.025米、4.25米、4.35米及4.5米；1樓：4.45米及4.5米

The floor-to-floor height of each residential property: G/F: 3.775m, 4.025m, 4.25m, 4.35m and 4.5m; 1/F: 4.45m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

A2號洋房、A3號洋房及A5號洋房 | House A2, House A3 and House A5

地下 G/F



N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.675米、4.225米及4.375米

The floor-to-floor height of each residential property: 3.675m, 4.225m and 4.375m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。


Remarks:


1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

A2號洋房、A3號洋房及A5號洋房 | House A2, House A3 and House A5

1樓 1/F







索引圖 KEY PLAN

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.8米及4.5米

The floor-to-floor height of each residential property: 3.8m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。


Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

A2號洋房、A3號洋房及A5號洋房 | House A2, House A3 and House A5

天台 Roof









每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：

1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

A6號洋房、A7號洋房及A8號洋房 | House A6, House A7 and House A8

地下 G/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.675米、4.225米及4.375米

The floor-to-floor height of each residential property: 3.675m, 4.225m and 4.375m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。


Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

A6號洋房、A7號洋房及A8號洋房 | House A6, House A7 and House A8

1樓 1/F





每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.8米及4.5米

The floor-to-floor height of each residential property: 3.8m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)


備註：

1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

天台 Roof



每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

B1號洋房、B2號洋房、B3號洋房、B5號洋房、B6號洋房、A9號洋房、A10號洋房、A11號洋房、A12號洋房及A15號洋房 | House B1, House B2, House B3, House B5, House B6, House A9, House A10, House A11, House A12 and House A15

地下 G/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property:150mm

每個住宅物業的層與層之間的高度：B1號、B5號、B6號及A15號洋房：3.675米、4.225米及4.375米；B2號及A12號洋房：2.45米、3.7米、3.85米、4.125米、4.375米及4.48米；B3號、A9號及A11號洋房：3.025米、3.075米、3.175米及3.325米；A10號洋房：3.35米、3.5米及4.2米

The floor-to-floor height of each residential property: Houses B1, B5, B6 and A15: 3.675m, 4.225m and 4.375m; Houses B2 and A12: 2.45m, 3.7m, 3.85m, 4.125m, 4.375m and 4.48m; Houses B3, A9 and A11: 3.025m, 3.075m, 3.175m and 3.325m; House A10: 3.35m, 3.5m and 4.2m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

B1號洋房、B2號洋房、B3號洋房、B5號洋房、B6號洋房、A9號洋房、A10號洋房、A11號洋房、A12號洋房及A15號洋房 ｜ House B1, House B2, House B3, House B5, House B6, House A9, House A10, House A11, House A12 and House A15

1樓 1/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：B1號、B5號、B6號及A15號洋房：3.8米及4.5米；B2號及A12號洋房：4.5米；B3號、A9號及A11號洋房：3.925米及4.5米；A10號洋房：3米及4.5米

The floor-to-floor height of each residential property: Houses B1, B5, B6 and A15: 3.8m and 4.5m; Houses B2 and A12: 4.5m; Houses B3, A9 and A11: 3.925m and 4.5m; House A10: 3m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

B1號洋房、B2號洋房、B3號洋房、B5號洋房、B6號洋房、A9號洋房、A10號洋房、A11號洋房、A12號洋房及A15號洋房 | House B1, House B2, House B3, House B5, House B6, House A9, House A10, House A11, House A12 and House A15

天台 Roof





索引圖 KEY PLAN

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

C1號洋房、C2號洋房、C3號洋房、C5號洋房、C6號洋房、B9號洋房、B10號洋房、B11號洋房、B12號洋房及B15號洋房 | House C1, House C2, House C3, House C5, House C6, House B9, House B10, House B11, House B12 and House B15

地下 G/F



LEGEND 圖例:

CONCRETE BACKFILL NOT FORMING PART OF SALEABLE AREA
不屬於實用面積的混凝土回填

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：C1號及B15號洋房：3.675米、4.225米及4.375米；C2號及C6號洋房：2.45米、3.7米、3.85米、4.125米、4.375米及4.48米；C3號、C5號、B10號及B11號洋房：3.025米、3.075米、3.175米及3.325米；B9號及B12號洋房：2.45米、3.7米、3.85米、4.125米、4.375米及4.48米

The floor-to-floor height of each residential property: Houses C1 and B15: 3.675m, 4.225m and 4.375m; Houses C2 and C6: 2.45m, 3.7m, 3.85m, 4.125m, 4.375m and 4.48m; Houses C3, C5, B10 and B11: 3.025m, 3.075m, 3.175m and 3.325m; Houses B9 and B12: 2.45m, 3.7m, 3.85m, 4.125m, 4.375m and 4.48m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

C1號洋房、C2號洋房、C3號洋房、C5號洋房、C6號洋房、B9號洋房、B10號洋房、B11號洋房、B12號洋房及B15號洋房 | House C1, House C2, House C3, House C5, House C6, House B9, House B10, House B11, House B12 and House B15

1樓 1/F



索引圖 KEY PLAN

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：C1號及B15號洋房：3.8米及4.5米；C2號、C6號、B9號及B12號洋房：4.5米；C3號、C5號、B10號及B11號 洋房：3.925米及4.5米

The floor-to-floor height of each residential property: Houses C1 and B15: 3.8m and 4.5m; Houses C2, C6, B9 and B12: 4.5m; Houses C3, C5, B10 and B11: 3.925m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

C1號洋房、C2號洋房、C3號洋房、C5號洋房、C6號洋房、B9號洋房、B10號洋房、B11號洋房、B12號洋房及B15號洋房 | House C1, House C2, House C3, House C5, House C6, House B9, House B10, House B11, House B12 and House B15

天台 Roof



索引圖 KEY PLAN

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

C7號洋房、C8號洋房、C9號洋房、B7號洋房及B8號洋房
House C7, House C8, House C9, House B7 and House B8

地下 G/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：C7號及B8號洋房：2.45米、3.7米、3.85米、4.125米、4.375米及4.48米；C8號及B7號洋房：3.025米、3.075米、3.175米及3.325米；C9號洋房：3.675米、4.225米及4.375米

The floor-to-floor height of each residential property: Houses C7 and B8: 2.45m, 3.7m, 3.85m, 4.125m, 4.375m and 4.48m; Houses C8 and B7: 3.025m, 3.075m, 3.175m and 3.325m; House C9: 3.675m, 4.225m and 4.375m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

C7號洋房、C8號洋房、C9號洋房、B7號洋房及B8號洋房
House C7, House C8, House C9, House B7 and House B8

1樓 1/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：C7號及B8號洋房：4.5米；C8號及B7號洋房：3.925米及4.5米；C9號洋房：3.8米及4.5米

The floor-to-floor height of each residential property: Houses C7 and B8: 4.5m; Houses C8 and B7: 3.925m and 4.5m; House C9: 3.8m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

C7號洋房、C8號洋房、C9號洋房、B7號洋房及B8號洋房
House C7, House C8, House C9, House B7 and House B8

天台 Roof



每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。


Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

D1號洋房、D2號洋房、D3號洋房、D5號洋房、D6號洋房、C16號洋房、C17號洋房、C18號洋房、C19號洋房及C20號洋房 | House D1, House D2, House D3, House D5, House D6, House C16, House C17, House C18, House C19 and House C20

地下 G/F





索引圖 KEY PLAN

LEGEND 圖例:
CONCRETE BACKFILL NOT FORMING PART OF SALEABLE AREA
不屬於實用面積的混凝土回填

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：D1號及C20號洋房：3.675米、4.225米及4.375米；D2號、D6號、C16號及C19號洋房：2.45米、3.7米、3.85米、4.125米、4.375米及4.48米；D3號、D5號、C17號及C18號洋房：3.025米、3.075米、3.175米及3.325米

The floor-to-floor height of each residential property: Houses D1 and C20: 3.675m, 4.225m and 4.375m; Houses D2, D6, C16 and C19: 2.45m, 3.7m, 3.85m, 4.125m, 4.375m and 4.48m; Houses D3, D5, C17 and C18: 3.025m, 3.075m, 3.175m and 3.325m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

D1號洋房、D2號洋房、D3號洋房、D5號洋房、D6號洋房、C16號洋房、C17號洋房、C18號洋房、C19號洋房及C20號洋房 | House D1, House D2, House D3, House D5, House D6, House C16, House C17, House C18, House C19 and House C20

1樓 1/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：D1號及C20號洋房：3.8米及4.5米；D2號、D6號、C16號及C19號洋房：4.5米；D3號、D5號、C17號及C18號洋房：3.925米及4.5米

The floor-to-floor height of each residential property: Houses D1 and C20: 3.8m and 4.5m; Houses D2, D6, C16 and C19: 4.5m; Houses D3, D5, C17 and C18: 3.925m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

D1號洋房、D2號洋房、D3號洋房、D5號洋房、D6號洋房、C16號洋房、C17號洋房、C18號洋房、C19號洋房及C20號洋房 | House D1, House D2, House D3, House D5, House D6, House C16, House C17, House C18, House C19 and House C20

天台 Roof





每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

D7號洋房、D8號洋房、D9號洋房、D10號洋房、C10號洋房、C11號洋房、C12號洋房及C15號洋房 | House D7, House D8, House D9, House D10, House C10, House C11, House C12 and House C15

地下 G/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：D7號、D10號、C10號及C15號洋房：2.45米、3.7米、3.85米、4.125米、4.375米及4.48米；D8號、D9號、C11號及C12號洋房：3.025米、3.075米、3.175米及3.325米

The floor-to-floor height of each residential property: Houses D7, D10, C10 and C15: 2.45m, 3.7m, 3.85m, 4.125m, 4.375m and 4.48m; Houses D8, D9, C11 and C12: 3.025m, 3.075m, 3.175m and 3.325m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

D7號洋房、D8號洋房、D9號洋房、D10號洋房、C10號洋房、C11號洋房、C12號洋房及C15號洋房 | House D7, House D8, House D9, House D10, House C10, House C11, House C12 and House C15

1樓 1/F



N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：D7號、D10號、C10號及C15號洋房：4.5米；D8號、D9號、C11號及C12號洋房：3.925米及4.5米

The floor-to-floor height of each residential property: Houses D7, D10, C10 and C15: 4.5m; Houses D8, D9, C11 and C12: 3.925m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

D7號洋房、D8號洋房、D9號洋房、D10號洋房、C10號洋房、C11號洋房、C12號洋房及C15號洋房 | House D7, House D8, House D9, House D10, House C10, House C11, House C12 and House C15

天台 Roof



每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

E1號洋房、E2號洋房、E3號洋房、E5號洋房、E6號洋房、D18號洋房、D19號洋房、D20號洋房、D21號洋房及D22號洋房 | House E1, House E2, House E3, House E5, House E6, House D18, House D19, House D20, House D21 and House D22

地下 G/F



索引圖 KEY PLAN

LEGEND 圖例:

CONCRETE BACKFILL NOT FORMING PART OF SALEABLE AREA
不屬於實用面積的混凝土回填

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：E1號及D22號洋房：3.675米、4.225米及4.375米；E2號、E6號、D18號及D21號洋房：2.45米、3.7米、3.85米、4.125米、4.375米及4.48米；E3號、E5號、D19號及D20號洋房：3.025米、3.075米、3.175米及3.325米

The floor-to-floor height of each residential property: Houses E1 and D22: 3.675m, 4.225m and 4.375m; Houses E2, E6, D18 and D21: 2.45m, 3.7m, 3.85m, 4.125m, 4.375m and 4.48m: Houses E3, E5, D19 and D20: 3.025m, 3.075m, 3.175m and 3.325m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section "Floor Plans of Residential Properties in the development" for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

E1號洋房、E2號洋房、E3號洋房、E5號洋房、E6號洋房、D18號洋房、D19號洋房、D20號洋房、D21號洋房及D22號洋房 | House E1, House E2, House E3, House E5, House E6, House D18, House D19, House D20, House D21 and House D22

1樓 1/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：E1號及D22號洋房：3.8米及4.5米；E2號、E6號、D18號及D21號洋房：4.5米；E3號、E5號、D19號及D20號洋房：3.925米及4.5米

The floor-to-floor height of each residential property: Houses E1 and D22: 3.8m and 4.5m; Houses E2, E6, D18 and D21: 4.5m; Houses E3, E5, D19 and D20: 3.925m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

E1號洋房、E2號洋房、E3號洋房、E5號洋房、E6號洋房、D18號洋房、D19號洋房、D20號洋房、D21號洋房及D22號洋房 | House E1, House E2, House E3, House E5, House E6, House D18, House D19, House D20, House D21 and House D22

天台 Roof



索引圖 KEY PLAN

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

E7號洋房、E8號洋房、E9號洋房、E10號洋房、D11號洋房、D12號洋房、D15號洋房、D16號洋房及D17號洋房 | House E7, House E8, House E9, House E10, House D11, House D12, House D15, House D16 and House D17

地下 G/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：E7號、D12號及D17號洋房：2.45米、3.7米、3.85米、4.125米、4.375米及4.48米；E8號、E9號、E10號、D15號及D16號洋房：3.025米、3.075米、3.175米及3.325米；D11號洋房：3.675米、4.225米及4.375米

The floor-to-floor height of each residential property: Houses E7, D12 and D17: 2.45m, 3.7m, 3.85m, 4.125m, 4.375m and 4.48m; Houses E8, E9, E10, D15 and D16: 3.025m, 3.075m, 3.175m and 3.325m; House D11: 3.675m, 4.225m and 4.375m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

E7號洋房、E8號洋房、E9號洋房、E10號洋房、D11號洋房、D12號洋房、D15號洋房、D16號洋房及D17號洋房 | House E7, House E8, House E9, House E10, House D11, House D12, House D15, House D16, and House D17

1樓 1/F



每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：E7號、D12號及D17號洋房：4.5米；E8號、E9號、E10號、D15號及D16號洋房：3.925米及4.5米；D11號洋房：3.8米及4.5米

The floor-to-floor height of each residential property: House E7, D12 and D17: 4.5m; Houses E8, E9, E10, D15 and D16: 3.925m and 4.5m; House D11: 3.8m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

E7號洋房、E8號洋房、E9號洋房、E10號洋房、D11號洋房、D12號洋房、D15號洋房、D16號洋房及D17號洋房 | House E7, House E8, House E9, House E10, House D11, House D12, House D15, House D16, and House D17

天台 Roof



每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:


1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

F1號洋房、F2號洋房、F3號洋房、F5號洋房、E11號洋房、E12號洋房、E15號洋房及E16號洋房 | House F1, House F2, House F3, House F5, House E11, House E12, House E15 and House E16

地下 G/F



索引圖 KEY PLAN



LEGEND 圖例:

CONCRETE BACKFILL NOT FORMING PART OF SALEABLE AREA
不屬於實用面積的混凝土回填

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：F1號、F5號、E11號及E16號洋房：3.675米、4.225米及4.375米；F2號及E15號洋房：2.45米、3.7米、3.85米、4.125米、4.375米及4.48米；F3號及E12號洋房：3.025米、3.075米、3.175米及3.325米

The floor-to-floor height of each residential property: Houses F1, F5, E11 and E16: 3.675m, 4.225m and 4.375m; Houses F2 and E15: 2.45m, 3.7m, 3.85m, 4.125m, 4.375m and 4.48m; Houses F3 and E12: 3.025m, 3.075m, 3.175m and3.325m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。


Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

F1號洋房、F2號洋房、F3號洋房、F5號洋房、E11號洋房、E12號洋房、E15號洋房及E16號洋房 | House F1, House F2, House F3, House F5, House E11, House E12, House E15 and House E16

1樓 1/F







每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：F1號、F5號、E11號及E16號洋房：3.8米及4.5米；F2號及E15號洋房：4.5米；F3號及E12號洋房：3.925米及4.5米

The floor-to-floor height of each residential property: Houses F1, F5, E11 and E16: 3.8m and 4.5m; Houses F2 and E15: 4.5m; Houses F3 and E12: 3.925m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:


1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

F1號洋房、F2號洋房、F3號洋房、F5號洋房、E11號洋房、E12號洋房、E15號洋房及E16號洋房 | House F1, House F2, House F3, House F5, House E11. House E12, House E15 and House E16

天台 Roof



索引圖 KEY PLAN



N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

F6號洋房、F7號洋房及F8號洋房 | House F6, House F7 and House F8

地下 G/F



索引圖 KEY PLAN

LEGEND 圖例:

CONCRETE BACKFILL NOT FORMING PART OF SALEABLE AREA
不屬於實用面積的混凝土回填

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.075米、3.325米、3.425米、3.675米、4.375米及4.4米

The floor-to-floor height of each residential property: 3.075m, 3.325m, 3.425m, 3.675m, 4.375m and 4.4m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)


備註：

1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

1樓 1/F





索引圖 KEY PLAN

N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：4.5米

The floor-to-floor height of each residential property: 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)


備註：

1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

天台 Roof





N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:


1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

F9號洋房、F10號洋房、F11號洋房及F12號洋房
House F9, House F10, House F11 and House F12

地下 G/F



索引圖 KEY PLAN



N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.675米、4.225米及4.375米

The floor-to-floor height of each residential property: 3.675m, 4.225m and 4.375m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：

1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。


Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

F9號洋房、F10號洋房、F11號洋房及F12號洋房
House F9, House F10, House F11 and House F12

1樓 1/F





每個住宅物業的樓板（不包括灰泥）的厚度：150毫米

The thickness of the floor slabs (excluding plaster) of each residential property: 150mm

每個住宅物業的層與層之間的高度：3.8米及4.5米

The floor-to-floor height of each residential property: 3.8m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：

1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。


Remarks:

1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

F9號洋房、F10號洋房、F11號洋房及F12號洋房
House F9, House F10, House F11 and House F12

天台 Roof





N(北)

比例 SCALE
0 5米/M

每個住宅物業的樓板（不包括灰泥）的厚度：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: Not applicable

每個住宅物業的層與層之間的高度：不適用

The floor-to-floor height of each residential property: Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。）

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：


1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:


1) Please refer to the first page of the section “Floor Plans of Residential Properties in the development” for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

F15號洋房 | House F15


地下、1樓及天台 G/F, 1/F and Roof




Ground Floor Plan
地下平面圖



First Floor Plan
1樓平面圖



Roof Floor Plan
天台平面圖



索引圖 KEY PLAN



每個住宅物業的樓板（不包括灰泥）的厚度：地下及1樓：150毫米；天台：不適用

The thickness of the floor slabs (excluding plaster) of each residential property: G/F and 1/F: 150mm; Roof: Not applicable

每個住宅物業的層與層之間的高度：地下：3.675米、4.225米及4.375米；1樓：3.8米及4.5米

The floor-to-floor height of each residential property: G/F: 3.675m, 4.225m and 4.375m; 1/F: 3.8m and 4.5m

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(註：此根據《一手住宅物業銷售條例》附表1第一部第10(2)(e)條所規定的陳述並不適用於發展項目。)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: This statement requested under Section 10(2)(e) in Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Development.)

備註：

1) 以上樓面平面圖中顯示之名詞及簡稱之詞彙表請參閱「發展項目的住宅物業的樓面平面圖」一節首頁。
2) 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。

Remarks:

1) Please refer to the first page of the section "Floor Plans of Residential Properties in the development" for glossary of the terms and abbreviations shown in the floor plan above.
2) Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

發展項目中的住宅物業的面積 Area of residential properties in the development

面積表 AREA SCHEDULE

物業的描述 Description of Residential Property			**實用面積** (包括露台、工作平台及陽台(如有)) 平方米 **(平方呎)** **Saleable Area** (including balcony, utility platform and verandah, if any) sq. metre **(sq.ft.)**	**其他指明項目的面積** (不計算入實用面積) 平方米 **(平方呎)** **Area of other specified items** (Not included in the Saleable Area) sq.metre **(sq.ft.)**									
大廈名稱 Block Name	**樓層 Floor**	**單位 Unit**		**空調機房 Air-conditioning plant room**	**窗台 Bay window**	**閣樓 Cockloft**	**平台 Flat roof**	**花園 Garden**	**停車位 Parking space**	**天台 Roof**	**梯屋 Stairhood**	**前庭 Terrace**	**庭院 Yard**
第1座 Tower 1	地下 GF	A	30.770 **(331)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	22.089 **(238)**	–	–	–	–	–
		C	23.832 **(257)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	16.535 **(178)**	–	–	–	–	–
		D	23.914 **(257)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	12.642 **(136)**	–	–	–	–	–
		E	22.241 **(239)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	12.030 **(129)**	–	–	–	–	–
		F	39.106 **(421)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	13.514 **(145)**	–	–	–	–	–
		G	22.130 **(238)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	10.502 **(113)**	–	–	–	–	–
		H	24.440 **(263)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	11.566 **(124)**	–	–	–	–	–
		J	32.551 **(350)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	24.653 **(265)**	–	–	–	–	–
		K	31.555 **(340)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	29.176 **(314)**	–	–	–	–	–
		L	23.240 **(250)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	14.577 **(157)**	–	–	–	–	–
		M	40.299 **(434)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	13.190 **(142)**	–	–	–	–	–
		R	23.892 **(257)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	13.792 **(148)**	–	–	–	–	–
		T	32.850 **(354)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	20.733 **(223)**	–	–	–	–	–

實用面積是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積(不計算入實用面積),是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
The saleable area is calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

註Note:
1. 上述所列之面積以1平方米=10.7639平方呎換算並四捨五入至整數平方呎;因四捨五入的關係,以平方呎表述之面積與以平方米表述之面積可能有些微差異。
   The above areas have been converted to square feet based on a conversion rate of 1 square metre =10.7639 square feet and rounded in square feet; the area shown in sq.ft. is rounded down or rounded up to the nearest integer and may be slightly different from that shown in sq.m.
2. 發展項目住宅物業並無露台、工作平台及陽台。
   There is no balcony, utility platform and verandah in the residential properties in the Development.
3. 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。
   Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

發展項目中的住宅物業的面積 Area of residential properties in the development

面積表 AREA SCHEDULE

物業的描述 Description of Residential Property			**實用面積** (包括露台、工作平台及陽台(如有)) 平方米 **(平方呎)** **Saleable Area** (including balcony, utility platform and verandah, if any) sq. metre **(sq.ft.)**	**其他指明項目的面積** (不計算入實用面積) 平方米 **(平方呎)** **Area of other specified items** (Not included in the Saleable Area) sq.metre **(sq.ft.)**									
大廈名稱 Block Name	**樓層 Floor**	**單位 Unit**		**空調機房 Air-conditioning plant room**	**窗台 Bay window**	**閣樓 Cockloft**	**平台 Flat roof**	**花園 Garden**	**停車位 Parking space**	**天台 Roof**	**梯屋 Stairhood**	**前庭 Terrace**	**庭院 Yard**
第1座 Tower 1	1樓至3樓、5樓至6樓 1/F-3/F, 5/F-6/F	A	31.997 **(344)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		B	31.516 **(339)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		C	23.946 **(258)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		D	24.890 **(268)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		E	23.806 **(256)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		F	40.852 **(440)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		G	22.785 **(245)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		H	24.004 **(258)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		J	31.959 **(344)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		K	31.653 **(341)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		L	23.033 **(248)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		M	41.576 **(448)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		N	24.403 **(263)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–

實用面積是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
The saleable area is calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

註Note:
1. 上述所列之面積以1平方米=10.7639平方呎換算並四捨五入至整數平方呎；因四捨五入的關係，以平方呎表述之面積與以平方米表述之面積可能有些微差異。
   The above areas have been converted to square feet based on a conversion rate of 1 square metre =10.7639 square feet and rounded in square feet; the area shown in sq.ft. is rounded down or rounded up to the nearest integer and may be slightly different from that shown in sq.m.
2. 發展項目住宅物業並無露台、工作平台及陽台。
   There is no balcony, utility platform and verandah in the residential properties in the Development.
3. 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。
   Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

發展項目中的住宅物業的面積 Area of residential properties in the development

面積表 AREA SCHEDULE

物業的描述 Description of Residential Property			**實用面積** (包括露台、工作平台及陽台(如有)) 平方米 **(平方呎)** **Saleable Area** (including balcony, utility platform and verandah, if any) sq. metre **(sq.ft.)**	**其他指明項目的面積** (不計算入實用面積) 平方米 **(平方呎)** **Area of other specified items** (Not included in the Saleable Area) sq.metre **(sq.ft.)**									
大廈名稱 Block Name	**樓層 Floor**	**單位 Unit**		**空調機房 Air-conditioning plant room**	**窗台 Bay window**	**閣樓 Cockloft**	**平台 Flat roof**	**花園 Garden**	**停車位 Parking space**	**天台 Roof**	**梯屋 Stairhood**	**前庭 Terrace**	**庭院 Yard**
第1座 Tower 1	1樓至3樓、5樓至6樓 1/F-3/F, 5/F-6/F	P	24.271 **(261)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		Q	23.308 **(251)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		R	23.740 **(256)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		S	31.927 **(344)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–
		T	32.062 **(345)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	–	–	–	–

實用面積是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
The saleable area is calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

註Note:
1. 上述所列之面積以1平方米=10.7639平方呎換算並四捨五入至整數平方呎；因四捨五入的關係，以平方呎表述之面積與以平方米表述之面積可能有些微差異。
   The above areas have been converted to square feet based on a conversion rate of 1 square metre =10.7639 square feet and rounded in square feet; the area shown in sq.ft. is rounded down or rounded up to the nearest integer and may be slightly different from that shown in sq.m.
2. 發展項目住宅物業並無露台、工作平台及陽台。
   There is no balcony, utility platform and verandah in the residential properties in the Development.
3. 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。
   Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.

發展項目中的住宅物業的面積 Area of residential properties in the development

面積表 AREA SCHEDULE

物業的描述 Description of Residential Property			**實用面積** (包括露台、工作平台及陽台(如有)) 平方米 **(平方呎)** **Saleable Area** (including balcony, utility platform and verandah, if any) sq. metre **(sq.ft.)**	**其他指明項目的面積** (不計算入實用面積) 平方米 **(平方呎)** **Area of other specified items** (Not included in the Saleable Area) sq.metre **(sq.ft.)**									
大廈名稱 Block Name	**樓層 Floor**	**單位 Unit**		**空調機房 Air-conditioning plant room**	**窗台 Bay window**	**閣樓 Cockloft**	**平台 Flat roof**	**花園 Garden**	**停車位 Parking space**	**天台 Roof**	**梯屋 Stairhood**	**前庭 Terrace**	**庭院 Yard**
第1座 Tower 1	7樓 7/F	A	31.997 **(344)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	13.423 **(144)**	–	–	–
		B	31.516 **(339)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	9.097 **(98)**	–	–	–
		C	23.946 **(258)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	13.838 **(149)**	–	–	–
		D	24.890 **(268)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	15.470 **(167)**	–	–	–
		E	23.806 **(256)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	15.069 **(162)**	–	–	–
		F	40.852 **(440)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	16.643 **(179)**	–	–	–
		G	22.785 **(245)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	15.315 **(165)**	–	–	–
		H	24.004 **(258)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	14.858 **(160)**	–	–	–
		J	31.959 **(344)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	12.140 **(131)**	–	–	–
		K	31.653 **(341)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	14.791 **(159)**	–	–	–
		L	23.033 **(248)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	12.023 **(129)**	–	–	–
		M	41.576 **(448)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	24.682 **(266)**	–	–	–
		N	24.403 **(263)** 露台 Balcony: - **(-)** 工作平台 Utility Platform: - **(-)**	–	–	–	–	–	–	11.104 **(120)**	–	–	–

實用面積是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
The saleable area is calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

註Note: 1. 上述所列之面積以1平方米=10.7639平方呎換算並四捨五入至整數平方呎；因四捨五入的關係，以平方呎表述之面積與以平方米表述之面積可能有些微差異。
The above areas have been converted to square feet based on a conversion rate of 1 square metre =10.7639 square feet and rounded in square feet; the area shown in sq.ft. is rounded down or rounded up to the nearest integer and may be slightly different from that shown in sq.m.

2. 發展項目住宅物業並無露台、工作平台及陽台。
There is no balcony, utility platform and verandah in the residential properties in the Development.

3. 第1座及第2座住宅樓層不設4樓。不設A4、A13、A14、B4、B13、B14、C4、C13、C14、D4、D13、D14、E4、E13、E14、F4、F13及F14號洋房。
Residential floor 4/F of Tower 1 and Tower 2 are omitted. House nos. A4, A13, A14, B4, B13, B14, C4, C13, C14, D4, D13, D14, E4, E13, E14, F4, F13 and F14 are omitted.